

EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L4	1	((MEMS or (micro adj2 electro adj2 mechanical adj2 system)) and (simulat\$3 or verif\$3 or evaluat\$3 or test\$3) and mesh and (component or element or device or portion or area or region)).clm. and "716"/\$.ccls.	US-PGPUB	OR	ON	2006/05/17 10:39



Welcome United States Patent and Trademark Office

Search Results

BROWSE

SEARCH

IEEE XPLORE
GUIDE

Results for "((adaptive mesh<in>metadata) <and> (generation in<in>metadata))<and> (..."

Your search matched **12** of **1351118** documents.

A maximum of **100** results are displayed, **25** to a page, sorted by **Relevance** in **Descending** order.

» Search Options

View Session History

New Search

Modify Search

(((adaptive mesh<in>metadata) <and> (generation in<in>metadata))<

☐ Check to search only within this results set

Display
Format:

☒ Citation ☐ Citation & Abstract

[view selected items](#)

[Select All](#) [Deselect All](#)

» Key

IEEE JNL IEEE Journal or Magazine

IEE JNL IEE Journal or Magazine

IEEE CNF IEEE Conference Proceeding

IEE CNF IEE Conference Proceeding

IEEE STD IEEE Standard

- ☐ **1. Three-dimensional automatic adaptive mesh gene**
Golias, N.A.; Tsiouklis, T.D.;
Magnetics, IEEE Transactions on
Volume 28, Issue 2, Mar 1992 Page(s):1700 - 1703
Digital Object Identifier 10.1109/20.124030
AbstractPlus | Full Text: [PDF](#)(368 KB) IEEE JNL
Rights and Permissions
- ☐ **2. Contextual encoding in uniform and adaptive mes**
lossless compression of MR images
Srikanth, R.; Ramakrishnan, A.G.;
Medical Imaging, IEEE Transactions on
Volume 24, Issue 9, Sept. 2005 Page(s):1199 - 1206
Digital Object Identifier 10.1109/TMI.2005.853638
AbstractPlus | Full Text: [PDF](#)(608 KB) IEEE JNL
Rights and Permissions
- ☐ **3. Automatic and adaptive mesh generation**
Shephard, M.;
Magnetics, IEEE Transactions on
Volume 21, Issue 6, Nov 1985 Page(s):2484 - 2489
AbstractPlus | Full Text: [PDF](#)(680 KB) IEEE JNL
Rights and Permissions
- ☐ **4. Self adaptive mesh generation for 3-D finite eleme**
Mitchell, K.G.; Penman, J.;
Magnetics, IEEE Transactions on
Volume 28, Issue 2, Mar 1992 Page(s):1751 - 1754
Digital Object Identifier 10.1109/20.124043
AbstractPlus | Full Text: [PDF](#)(360 KB) IEEE JNL
Rights and Permissions

- ☐ **5. Adaptive mesh generation in three dimensional de**
 Tanaka, K.; Kato, H.; Ciampolini, P.; Pierantoni, A.; B...
Numerical Modeling of Processes and Devices for Inte
1994. NUPAD V., International Workshop on
5-6 June 1994 Page(s):163 - 166
 Digital Object Identifier 10.1109/NUPAD.1994.343466
[AbstractPlus](#) | [Full Text: PDF\(224 KB\)](#) IEEE CNF
[Rights and Permissions](#)

- ☐ **6. An approach to adaptive mesh refinement for three**
eddy-current computations
 Chengjun Li; Zhuoxiang Ren; Razek, A.;
Magnetics, IEEE Transactions on
Volume 30, Issue 1, Part 1-2, Jan. 1994 Page(s):11:
Digital Object Identifier 10.1109/20.272523
[AbstractPlus](#) | [Full Text: PDF\(380 KB\)](#) IEEE JNL
[Rights and Permissions](#)

- ☐ **7. Nested tetrahedral finite elements for h-adaption**
 Webb, J.P.; McFee, S.;
Magnetics, IEEE Transactions on
Volume 35, Issue 3, Part 1, May 1999 Page(s):1338
Digital Object Identifier 10.1109/20.767209
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(328 KB\)](#)
[Rights and Permissions](#)

- ☐ **8. Influence of current diffusion in superconducting**
fabricated by high stabilizer aluminum on quench
 Qiuliang Wang; Jinliang He; Cheon Seong Yoon; Kee
Magnetics, IEEE Transactions on
Volume 38, Issue 2, Part 1, March 2002 Page(s):11:
Digital Object Identifier 10.1109/20.996306
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(371 KB\)](#)
[Rights and Permissions](#)

- ☐ **9. A modeling approach for burn scar assessment us**
features and elastic property
 Yong Zhang; Goldgof, D.B.; Sarkar, S.; Tsap, L.V.;
Medical Imaging, IEEE Transactions on
Volume 23, Issue 10, Oct. 2004 Page(s):1325 - 1329
Digital Object Identifier 10.1109/TMI.2004.834625
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(488 KB\)](#)
[Rights and Permissions](#)

- ☐ **10. Transient 3-D FEM computation of eddy-current lo**
rotor of a claw-pole alternator
 Kaehler, C.; Henneberger, G.;
Magnetics, IEEE Transactions on
Volume 40, Issue 2, Part 2, March 2004 Page(s):13
Digital Object Identifier 10.1109/TMAG.2004.825469
[AbstractPlus](#) | [References](#) | [Full Text: PDF\(400 KB\)](#)
[Rights and Permissions](#)

- ☐ **11. Multigrid algorithms for the fast calculation of sp**
effects in accelerator design
 Poplau, G.; van Rienen, U.; van der Geer, B.; de Loo
Magnetics, IEEE Transactions on
Volume 40, Issue 2, Part 2, March 2004 Page(s):71
Digital Object Identifier 10.1109/TMAG.2004.825415

[AbstractPlus](#) | [References](#) | [Full Text: PDF\(232 KB\)](#)
[Rights and Permissions](#)

- ☐ **12. Automatic multiscale meshing through HRBF net**
Ferrari, S.; Frosio, I.; Piuri, V.; Borghese, N.A.;
Instrumentation and Measurement, IEEE Transaction
Volume 54, Issue 4, Aug. 2005 Page(s):1463 - 1470
Digital Object Identifier 10.1109/TIM.2005.851471
[AbstractPlus](#) | [Full Text: PDF\(984 KB\)](#) **IEEE JNL**
[Rights and Permissions](#)

[Help](#) [Cont](#)
[Se](#)

© Copyright

Indexed by
 Inspec®